



MORE TIME FOR YOUR HEART. LIVE LONGER. IT'S POSSIBLE.

A Helpful Guide to Starting VYNDAMAX

VYNDAMAX is the first and only once-daily, single-capsule treatment for transthyretin amyloid cardiomyopathy (ATTR-CM), a life-threatening disease.

INDICATION AND IMPORTANT SAFETY INFORMATION

What is VYNDAMAX?

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

Getting Started With VYNDAMAX™ (tafamidis)

**Starting a new medication can be challenging,
but this guide can help you understand:**

Your ATTR-CM diagnosis	4
<hr/>	
Your VYNDAMAX journey	6
<hr/>	
What is VyndaLink?	9
<hr/>	
What is a specialty pharmacy?	12
<hr/>	
How to take VYNDAMAX	14
<hr/>	
What to expect from VYNDAMAX	16

Always remember to talk to your doctor about your full medical condition. Asking your cardiologist questions can help you get many of the answers that you need.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information
and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).





Visit [VYNDAMAX.com](https://www.vyndamax.com) for additional resources as you start your treatment journey with VYNDAMAX, and be sure to read the simple tips about starting VYNDAMAX throughout this guide.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).

Vyndamax
(*tafamidis*)
61 mg capsules

Understanding your ATTR-CM diagnosis

ATTR-CM is a rare, life-threatening, underrecognized, and underdiagnosed type of amyloidosis that affects your heart.

What is amyloidosis?

Amyloidosis is a group of diseases in which certain proteins change shape, or “misfold,” and can build up in different parts of the body. When these misfolded proteins build up in your heart, it may lead to ATTR-CM.

How does ATTR-CM affect your heart?



1

Your liver produces transthyretin (**TTR**), a transport protein that carries the hormone thyroxine and vitamin A (retinol) throughout the bloodstream.



2

When you have ATTR-CM, either due to aging (**wild-type**) or an inherited genetic variant (**hereditary**), the protein becomes unstable and **misfolds**.



3

Over time, the misfolding of proteins **join together and build up in the body**, including the heart.

When these misfolded proteins build up in the heart, it causes the heart to thicken and stiffen over time, eventually leading to heart failure.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

Vyndamax
(*tafamidis*)
61 mg capsules



You may experience seemingly unrelated symptoms

Because of the impact ATTR-CM has on the heart, you may experience symptoms common in heart failure, such as shortness of breath, fatigue, and swelling in the lower legs and feet.

The build-up of proteins in the body may also cause seemingly unrelated symptoms like carpal tunnel syndrome, eye disorders, and lower-back problems.



VYNDAMAX TIP



ATTR-CM is a progressive, life-threatening disease that becomes worse over time. VYNDAMAX works to help slow the progression of ATTR-CM, so you may not feel an effect on your symptoms.

VYNDAMAX is a prescription medicine approved to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems.

Selected Safety Information

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).



Getting your first prescription

You are about to start your treatment journey on VYNDAMAX. Once you are prescribed VYNDAMAX, these are some key events you can expect.

Enrollment/Prescription

01



VyndaLink™:

(see [page 9](#) for more information)

If you enroll in VyndaLink, you and your doctor will complete the VyndaLink enrollment form. A VyndaLink representative will contact you, usually within 3-5 days, so watch for a call from **1-888-222-8475**.

Specialty Pharmacy*:

(see [page 12](#) for more information)

If you do not enroll in VyndaLink, your doctor will send your prescription directly to a specialty pharmacy. Watch out for a call from the specialty pharmacy.*

Benefits Verification

02



VyndaLink or the specialty pharmacy will contact your insurance plan to confirm your coverage for VYNDAMAX, including co-payment amounts, and will review the information with you by phone.

Add VyndaLink and the phone number **1-888-222-8475** to your contacts in your phone so you will know when VyndaLink is contacting you.

*There may be special requirements if you have Medicaid, Tricare, or Veterans Affairs coverage. Contact VyndaLink if you have any questions.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.





Prior Authorization Submission

→ 03



Prescription drug plans often require your doctor to get approval or prior authorization before you can be treated with VYNDAMAX.

Your doctor or VyndaLink will contact you with the plan's decision, and VyndaLink can provide information regarding any next steps if your insurance plan denies coverage.

Financial Assistance Eligibility

→ 04



You may be eligible for financial assistance. If you are concerned about your cost-sharing requirements for VYNDAMAX, make sure to tell VyndaLink or your specialty pharmacy

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

Vyndamax
(*tafamidis*)
61 mg capsules



Receive VYNDAMAX

→ 05



Once your coverage is approved, a specialty pharmacy will send VYNDAMAX directly to your home. Most specialty pharmacies will continue to call you to coordinate medication shipments and help with any medication issues.

Reauthorization

→ 06



After a period of time, plans may require you to be reapproved to continue treatment. Attend appointments as directed by your doctor to prevent any delays in reauthorization.




It may take longer to receive your first VYNDAMAX prescription compared to other medications. The first fill may take several weeks to process, but could take longer depending on requirements from your insurer or specialty pharmacy.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information
and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).

Vyndamax
(*tafamidis*)
61 mg capsules



Throughout your journey, VyndaLink* is dedicated to helping you access your prescribed VYNDAMAX and connecting you to additional support. VyndaLink can help you:

-  Explore financial assistance options, including alternate sources of funding, the Pfizer Patient Assistance Program, or co-pay assistance, if eligible.
-  Understand your insurance coverage for VYNDAMAX and learn the process to get VYNDAMAX from a specialty pharmacy.
-  Speak with a Patient Support Navigator for additional support during your treatment journey. They can help connect you with resources for counseling and social support, ATTR-CM education, transportation, and lodging.^{†‡}

You can find out more about VyndaLink and access the enrollment form at vyndalink.com/patient.

If you have any questions, please contact VyndaLink at **1-888-222-8475** (Monday-Friday, 8AM-8PM ET). A VyndaLink representative can help you work with your provider to enroll.

*The same VyndaLink support offerings available to patients prescribed VYNDAMAX are also available to patients prescribed VYNDAQEL (tafamidis meglumine).

[†]Patients who are interested in additional support must opt in to this offering.

[‡]To access these support resources, you must have a prescription for VYNDAMAX. Some offerings are provided through third-party organizations that operate independently and are not controlled by Pfizer. Availability of patient support and eligibility requirements are determined solely by these organizations.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information
and Patient Information or visit VYNDAMAX.com.



Based on your eligibility and insurance, VyndaLink can help you explore potential resources for financial assistance.

Medicare/Government Insurance

If you have Medicare/Medicare Part D or other government insurance, VyndaLink can help identify financial support options that may help cover the cost of your medicine.



Finding Alternative Funding Sources

If you need help with the cost of your medicine, VyndaLink can check to see if you may be eligible for Medicare Extra Help or alternate sources of funding and can tell you how to apply.



Pfizer Patient Assistance Program

If support through an alternate funding source is not available, you may be eligible to receive VYNDAMAX at no cost through the Pfizer Patient Assistance Program.*

No Insurance Coverage

If you don't have health insurance coverage, VyndaLink can connect you to potential resources that may help cover the cost of VYNDAMAX.

*Criteria depend on a number of factors, including the specific medicine prescribed, insurance status, and household size and income. The Pfizer Patient Assistance Program is a joint program of Pfizer Inc. and the Pfizer Patient Assistance Foundation™. The Pfizer Patient Assistance Foundation is a separate legal entity from Pfizer Inc., with distinct legal restrictions.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information
and Patient Information or visit VYNDAMAX.com.



Commercial (Private) Insurance

If you have commercial, employer, or private coverage, including coverage purchased through a state health insurance marketplace, you may be eligible for resources to help cover the cost of your co-pay.



Co-Pay Assistance for VYNDAMAX™ (tafamidis) and VYNDAQEL® (tafamidis meglumine)

Eligible, commercially insured patients may pay as little as \$0 per month for VYNDAMAX or VYNDAQEL.*

To be eligible, you must:

- Be commercially insured (receive healthcare through your employer or pay for it on your own)
- Not participate in any federal or state healthcare programs such as Medicaid or Medicare

Additional terms and conditions apply.

To find out if you're eligible, call us at 1-888-222-8475.

*Limits, terms, and conditions apply. Patients are not eligible to use this card if they are enrolled in a state or federally funded insurance program, including but not limited to Medicare, Medicaid, TRICARE, Veterans Affairs health care, a state prescription drug assistance program, or the Government Health Insurance Plan available in Puerto Rico. Patients may receive up to \$60,000 in savings annually. **The offer will be accepted only at participating pharmacies. This offer is not health insurance.** No membership fees apply. Pfizer reserves the right to rescind, revoke, or amend this offer without notice. For any questions, please call 1-888-222-8475 or write: Pfizer, Attn: Claims Processing Department, IQVIA, Inc., 77 Corporate Dr., Bridgewater, NJ 08807. View the full terms and conditions online at www.VyndaLink.com.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.



What is a specialty pharmacy?

Once approved, your VYNDAMAX prescription will always be fulfilled by a specialty pharmacy, even if you are enrolled in VyndaLink.

Specialty pharmacies are different from local retail pharmacies, as they distribute specialty drugs that may have specific storage or handling requirements. They usually do not have physical locations, and instead ship specialty drugs to patients at home. They also employ pharmacists who are trained on rare diseases like ATTR-CM.

There are a few ways that you may interact with your specialty pharmacy:



Fulfillment of your first prescription:

The specialty pharmacy will usually ship your medication directly to your home. You will coordinate this with the specialty pharmacy over the phone prior to receiving your first prescription.



Ordering refills:

Most specialty pharmacies will stay in touch to coordinate refill deliveries. Be sure you talk with them each month to avoid anything that may delay your refills.

Your specialty pharmacy may also be able to help you find financial assistance, if you need help with the cost of your medicine.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).





VYNDAMAX TIP



Write down the name and contact information of your specialty pharmacy on the back of this brochure. Look out for calls from toll-free numbers (eg, 1-800), as it could be your specialty pharmacy contacting you.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information
and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).

Vyndamax
(tafamidis)
61 mg capsules

Taking your once-daily VYNDAMAX (tafamidis)

The first and only once-daily, single-capsule
treatment for ATTR-CM

VYNDAMAX offers convenient dosing.



- A single 61-mg, once-daily capsule
- Taken by mouth

It is important to continue taking it as prescribed by your doctor.

VYNDAMAX capsules should be swallowed whole and never crushed or cut. If you miss a dose, take it as soon as you remember. If it is time for your next dose, skip the missed dose and take the next dose at your regularly scheduled time. Do not take 2 doses at the same time.

In clinical studies, people taking VYNDAMAX experienced no side effects from the medication and required no additional lab testing or monitoring.

Selected Safety Information

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).





VYNDAMAX TIP



To help you remember your capsule each day, try combining the habit with something you already do every day, like brushing your teeth, putting on pajamas, or even walking the dog.

Capsule shown is not actual size.

Please see Important Safety Information on [page 1](#).
[Click here](#) for the Full Prescribing Information
and Patient Information or visit VYNDAMAX.com.

Vyndamax
(*tafamidis*)
61 mg capsules

Live longer with fewer hospital visits

VYNDAMAX binds to the TTR protein that causes ATTR-CM, slowing its breakdown and the buildup of dangerous deposits. By doing so, VYNDAMAX can help to slow the progression of ATTR-CM.

In a clinical trial, VYNDAMAX was proven to significantly reduce death and the number of heart-related hospitalizations in patients with ATTR-CM. Patients in the VYNDAMAX group lived longer than those in the placebo group.

Survival Rate at Month 30



Proven to lower the risk of heart-related hospitalizations



The clinical studies of VYNDAQEL (tafamidis meglumine) supported the approval of VYNDAMAX, which contains the same active ingredient.

Selected Safety Information

There were no known side effects that happened during treatment with VYNDAMAX.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.





VYNDAMAX TIP



Remember, VYNDAMAX can help slow the progression of ATTR-CM, but you may not feel an effect on your symptoms. In a clinical trial, patients taking VYNDAMAX saw better results versus those on placebo in measures of quality of life, including physical abilities and social activities. These quality-of-life results were noticed in as little as 6 months and remained consistent throughout the 30-month study.

Selected Safety Information

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).





VyndaLink Support

For live support, call **1-888-222-8475**
Monday-Friday, 8AM-8PM ET

My Specialty Pharmacy

Name: _____

Phone: _____



Go to [VYNDAMAX.com/Patient-Resources](https://www.vyndamax.com/patient-resources)

for additional ATTR-CM support and advocacy group information. Be sure to register for additional communications to support your VYNDAMAX journey.

Please see Important Safety Information on [page 1](#).

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).

