

Vyndamax[®]
(*tafamidis*)
61 mg capsules

LIVE LONGER.
IT'S POSSIBLE.

BE THERE
— FOR WHAT —
MATTERS MOST.

From the people at 

View the VYNDAMAX Patient Brochure



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements. There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.](#)

Vyndamax[®]
(*tafamidis*)
61 mg capsules

LIVE LONGER.
IT'S POSSIBLE.

BE THERE
— FOR WHAT —
MATTERS MOST.



Learn more about VYNDAMAX

VYNDAMAX is the first and only once-daily, single-capsule treatment for transthyretin amyloid cardiomyopathy (ATTR-CM), a rare and serious condition.

What is
ATTR-CM?

What is
VYNDAMAX?

How can
VYNDAMAX
help me?

How do I take
VYNDAMAX?

How can I
find support?

How do I get
started on
VYNDAMAX?

What financial
assistance options
are available?

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.


Click here for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

Understanding your ATTR-CM diagnosis

ATTR-CM is a rare, serious, underrecognized, and underdiagnosed type of amyloidosis that affects your heart. It's important to understand that ATTR-CM is a **life-threatening, progressive condition**, which means it will get worse over time.

Amyloidosis is a group of diseases in which certain proteins change shape, or misfold, and can then build up in different parts of the body. When these misfolded proteins build up in your heart, it may lead to ATTR-CM.

How does ATTR-CM affect your heart?



1

Your liver produces transthyretin (**TTR**), a transport protein that carries the hormone thyroxine and vitamin A (retinol) throughout the bloodstream.



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:


- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.




Understanding your ATTR-CM diagnosis

ATTR-CM is a rare, serious, underrecognized, and underdiagnosed type of amyloidosis that affects your heart. It's important to understand that ATTR-CM is a **life-threatening, progressive condition**, which means it will get worse over time.

Amyloidosis is a group of diseases in which certain proteins change shape, or misfold, and can then build up in different parts of the body. When these misfolded proteins build up in your heart, it may lead to ATTR-CM.

How does ATTR-CM affect your heart?



2

When you have ATTR-CM, either due to aging (**wild-type**) or an inherited genetic variant (**hereditary**), the protein becomes unstable and **misfolds**.



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.




Understanding your ATTR-CM diagnosis

ATTR-CM is a rare, serious, underrecognized, and underdiagnosed type of amyloidosis that affects your heart. It's important to understand that ATTR-CM is a **life-threatening, progressive condition**, which means it will get worse over time.

Amyloidosis is a group of diseases in which certain proteins change shape, or misfold, and can then build up in different parts of the body. When these misfolded proteins build up in your heart, it may lead to ATTR-CM.

How does ATTR-CM affect your heart?



3

Over time, the misfolded proteins **build up in the heart**, causing the muscles to thicken and stiffen, eventually leading to heart failure.



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.


[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.



What is VYNDAMAX?

VYNDAMAX is a once-daily, single-capsule treatment for ATTR-CM.

Here's how VYNDAMAX works inside your body:



1
TTR becomes unstable and breaks into misfolded pieces, which can build up in the heart and lead to ATTR-CM.



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.


You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

What is VYNDAMAX?

VYNDAMAX is a once-daily, single-capsule treatment for ATTR-CM.

Here's how VYNDAMAX works inside your body:



2

VYNDAMAX binds to weakening TTR and stabilizes it, so it stays together longer.



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.


[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.



What is VYNDAMAX?

VYNDAMAX is a once-daily, single-capsule treatment for ATTR-CM.

Here's how VYNDAMAX works inside your body:



3

By slowing the breakdown of TTR,
VYNDAMAX slows the formation and
buildup of misfolded pieces in the heart.



INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.


[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.



How can VYNDAMAX help me?

In a clinical trial, VYNDAMAX was proven to significantly reduce death and the number of heart-related hospitalizations in patients with ATTR-CM. Patients in the VYNDAMAX group lived longer than those in the placebo group.

Survival rate at month 30



Proven to lower the risk of heart-related hospitalizations

32%
LOWER RISK
of heart-related hospitalizations vs placebo



People taking VYNDAMAX also saw a slower decline in quality-of-life measures, including physical abilities and social activities, compared with those on placebo. Results were noticed in as little as 6 months, and remained consistent throughout the 30-month trial.

The clinical studies of VYNDAQEL® (tafamidis meglumine) supported the approval of VYNDAMAX, which contains the same active ingredient.

VYNDAMAX works to help slow the progression of the disease, so you may not feel an effect on your symptoms. It's very important to continue taking VYNDAMAX, as prescribed, to help increase your chances of staying out of the hospital and living longer.

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

How do I take VYNDAMAX?

The first and only once-daily, single-capsule treatment for ATTR-CM



VYNDAMAX offers convenient dosing.

- A single 61-mg, once-daily capsule
- Taken by mouth

It is important to continue taking it as prescribed by your doctor.

- VYNDAMAX capsules should be swallowed whole and never crushed or cut
- If you miss a dose, take it as soon as you remember
- If it is time for your next dose, skip the missed dose and take the next dose at your regularly scheduled time
- Do not take 2 doses at the same time

**There were no known side effects that happened during treatment with VYNDAMAX.
No additional lab testing or monitoring is required with VYNDAMAX.**

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

How can I find support?

Hear from a real patient, Stan.



Support through your treatment journey is key

"I'm fortunate that I have a strong family support system with four children, three of whom live nearby. And my wife has been extremely helpful and understanding through this process."

Hear more from Stan at [VYNDAMAX.com](https://www.vyndamax.com)



You can also find support through patient-advocacy groups.

Connecting with these organizations can help you find amyloidosis support groups, share your story with other people, and learn more about ATTR-CM.*



[amyloidosis.org](https://www.amyloidosis.org)



[amyloidosisupport.org](https://www.amyloidosisupport.org)



[arci.org](https://www.arci.org)

*These groups and websites are neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services they provide.

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).

How can I find support?

People who are prescribed VYNDAMAX can find support through VyndaLink.*



Learn more at vyndalink.com/patient.

VyndaLink can help you:

- Explore financial assistance options, including alternate sources of funding, the Pfizer Patient Assistance Program, or co-pay assistance, if eligible
- Understand your insurance coverage for VYNDAMAX and learn the process to get VYNDAMAX from a specialty pharmacy

[Sign up for patient support with VyndaCares™](#) >

*The same VyndaLink support offerings available to patients prescribed VYNDAMAX are also available to patients prescribed VYNDAQEL® (tafamidis meglumine).



You can also find support through patient-advocacy groups.

Connecting with these organizations can help you find amyloidosis support groups, share your story with other people, and learn more about ATTR-CM.*



amyloidosis.org



amyloidosisupport.org



arci.org

*These groups and websites are neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services they provide.

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.

How do I get started on VYNDAMAX® (tafamidis)?

1 Doctor prescribes VYNDAMAX

- Your doctor sends your VYNDAMAX* prescription to a specialty pharmacy, which will ship specialty medications to a patient's home



Watch out for a call from the specialty pharmacy.

2 Confirm insurance coverage

- The specialty pharmacy will contact your insurance plan to confirm your coverage for VYNDAMAX, including co-payment amounts and other financial assistance options
- The specialty pharmacy will review coverage with you by phone and can also discuss financial assistance options

3 Receive VYNDAMAX

- Once your insurance is approved, the specialty pharmacy will work with you to coordinate the delivery of VYNDAMAX

4 Continuing VYNDAMAX

- Your doctor will tell you what clinical and insurance requirements are needed to continue on VYNDAMAX
- The specialty pharmacy will coordinate with you and your doctor to make sure your information is up to date

*Access to VYNDAQEL® (tafamidis meglumine) is also available.

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.


You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here for the Full Prescribing Information and Patient Information or visit VYNDAMAX.com.](#)

What financial assistance options are available?

For eligible patients with commercial insurance

If you have commercial insurance, you may be eligible to pay as little as \$0 per month through the Co-pay Savings Program.*



To check eligibility and activate the co-pay savings card:

Self-enroll at [VYNDAMAX.com/financial-assistance](https://www.vyndamax.com/financial-assistance)



Call VyndaLink® at 1-888-222-8475

*Limits, terms, and conditions apply. Please visit [VyndaLink.com/terms](https://www.vyndamax.com/terms) for full terms and conditions of the Co-pay Savings Program.

INDICATION AND IMPORTANT SAFETY INFORMATION

VYNDAMAX is a prescription medicine used to treat adults with the cardiomyopathy of wild-type or hereditary transthyretin-mediated amyloidosis (ATTR-CM) to reduce death and hospitalization related to heart problems. It is not known if VYNDAMAX is safe and effective in children.

Before taking VYNDAMAX, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- are pregnant or plan to become pregnant.
- are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take including any prescription or over-the-counter medicines, vitamins, and herbal supplements.

There were no known side effects that happened during treatment with VYNDAMAX.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

[Click here](#) for the Full Prescribing Information and Patient Information or visit [VYNDAMAX.com](https://www.vyndamax.com).